

| Product Code | Description | Weight | Air Permeability | Air Permeability | Initial Pressure Drop | Filtration Class | Roll Length |
|--------------|-------------|-------------------|------------------|----------------------------|-----------------------|---|-------------|
| | | gr/m ² | Cfm @125pa | l/m ² .s @200pa | pa | EN779:2012 / EN1822 / ISO 16890 / EN149 / NIOSH 42 CFR 84 / EN14683 | mt |

HVAC/Air Intake Pocket Filter - Multilayer Fully Synthetic (Glass-Free) Nanofiber Media (Suitable for ultrasonic welding-stitching)

| | | | | | | | |
|-------------|---|----|----|-----|----|---------------|------|
| HF-PFP50-07 | Multilayer performance layer - PP/ Nano | 55 | 99 | 800 | 25 | F7- ePM1 60% | 1450 |
| HF-PFP50-08 | Multilayer performance layer - PP/ Nano | 55 | 71 | 570 | 35 | F8- ePM1 75% | 1450 |
| HF-PFP50-09 | Multilayer performance layer - PP/ Nano | 55 | 56 | 450 | 45 | F9 - ePM1 85% | 1450 |
| HF-PFM60-07 | Multilayer performance layer - PP/ Nano | 65 | 45 | 360 | 55 | F7- ePM1 60% | 1450 |
| HF-PFM60-08 | Multilayer performance layer - PP/ Nano | 65 | 35 | 285 | 70 | F8- ePM1 75% | 1450 |
| HF-PFM60-09 | Multilayer performance layer - PP/ Nano | 65 | 31 | 250 | 80 | F9 - ePM1 85% | 1450 |

HVAC - Multilayer Fully Synthetic (Glass-Free) Pleatable Nanofiber Media

| | | | | | | | |
|--------------|------------------------------|-----|-----|------|----|---------------|-----|
| HF-STP70-07 | A+ Energy / 100% PET / Nano | 70 | 58 | 465 | 43 | F7- ePM1 60% | 650 |
| HF-STP70-08 | A+ Energy / 100% PET / Nano | 70 | 48 | 385 | 52 | F8- ePM1 75% | 650 |
| HF-STP70-09 | A+ Energy / 100% PET / Nano | 70 | 41 | 333 | 60 | F9 - ePM1 85% | 650 |
| HF-SPP65-07 | A+ Energy / 100% PET / Nano | 65 | 124 | 1000 | 20 | F7- ePM1 60% | 650 |
| HF-SPP65-09 | A+ Energy / 100% PET / Nano | 65 | 50 | 400 | 50 | F9 - ePM1 85% | 650 |
| HF-STP130-09 | Bico PET / Multilayer / Nano | 135 | 31 | 250 | 80 | F9 - ePM1 85% | 750 |

See All Product +

*The values are for information purposes, the target values are stated in the product TDS

*All data and statements concerning these products may be considered as being indicative of representative properties obtainable. We make no warranty, expressed or implied, concerning actual use or results because of industry specific influenc

Açık Kart Bilgi Teknolojileri Ticaret A.Ş

+90 258 251 5057

www.hifyber.com

sales@hifyber.com

